# **LCN ILLUSTRATED PARTS LIST "Introduction"**

### How to Use the LCN Parts List

The *LCN Illustrated Parts List* is designed to help technical service or maintenance personnel correctly identify parts that may be required to return an LCN closer to service.

# **Parts List Organization**

The *LCN Illustrated Parts List* identifies replacement parts that are available through many LCN distributors. The sections, in order, are the 4000 Series, the 1000 Series, the Fire/Life Safety Series, the High Security Series, & the Power Operator Series. Closers are listed in numerical order within each section. Major components such as cylinder assemblies, covers, arm assemblies, & track assemblies are listed within each individual closer series. Many times, a complete component assembly has individual replacement parts available.

# **Casting (Forging) Numbers**

Many LCN parts or components have casting or forging numbers stamped or raised on the surface. An example would be the '71' or '320G' on an LCN cylinder assembly. These numbers really do not identify a particular part or component. You should follow the 'How to Order' page in the latest edition of the LCN Catalog or call LCN Customer Service for assistance.


#### **Additional Information**

In addition to the closer series, suffix number, and short description, many parts and components require more information. Items that require more information have letters listed to the right of the description. The letter(s) are defined as follows.

**F – Finish.** Indicate the powder coat or plated finish desired. Not all parts and components are available with a plated finish. Refer to either the latest edition of the LCN Catalog

or the current LCN Price List for a standard powder coat finish chart and available plated finish designations. A bright metallic (MTLPC) finish is also available. Bright metalic is a powder coat alternative to US26D. RAL custom finishes are also available.

- S Size. Refers to the spring power of the closer. The larger the number, the more power the closer may have to close a door. Several closer series have an adjustable 'size 1' available. In many cases, a 'size 1' closer will meet low opening force requirements. Some 'size 1' closers are not adjustable. Please refer to the latest edition of the LCN Catalog for clarification on individual closer spring power.
- H Hand. Please specify either RH (Right Hand) or LH (Left Hand). The hand of a door can be determined several ways. The latest edition of the LCN Catalog has an easy to use diagram that may be utilized as a reference.



V – Voltage. Some parts and components require voltage. Please specify either 24v or 120v.

# **Part and Component Pricing**

Prices for parts and components listed with the *LCN Illustrated Parts List* can be found in the current LCN Price List. The Price List contains basic ordering & product information.



LCN CLOSERS 121 W. RAILROAD AVE. P.O. BOX 100 PRINCETON, IL, USA 61356-0100 PHONE 800-526-2400 FAX 800-248-1460 www.lcnclosers.com ©2004 Ingersoll-Rand Company

# **LCN ILLUSTRATED PARTS LIST "Introduction"**

## **How to Order**

- 1. Identify the closer series; 4110, 4040, 1460, 1520, 2030, 3130, 4310ME, etc.
- 2. Refer to the page(s) illustrating the service parts available for the specific closer and select the part required by using the closer series and the suffix.
- 3. Check to the right of the part description. If additional information is required, please provide it.
- 4. Order the parts required using the closer series, suffix number, finish, size, hand, and/or voltage.

# Part or Component Identification

If the part you require is not shown in the *LCN Illustrated Parts List*, it may be obsolete. Contact your distributor, your local Security & Safety Consultants office or LCN Customer Service.

# **Ordering Examples**

Here are a few examples of what an item may look like as it is ordered. Please refer to the 'How to Order' page at the end of each individual closer series within the LCN Catalog.

2310ME-3351 x On/Off Switch x 24v 4040SE-3038 x Track x AL x 120v 4020T-72MC x Metal Cover x RH x AL 4313ME-3971 x Cylinder x LH x AL x 24v 3130-3054 Hold Open Clip 4040-62PA x Parallel Arm Shoe x DKBRZ 4010-18 Plate x AL 1520-3077SCNS Arm x BRASS 2030-169 Bumper Assembly 4640-3462 Controller Assembly 7910-956 Actuator SEM7850-825 Door Armature Only

### **Trademarks**

List of trademarks that may appear in the *LCN Illustrated Parts List*. This list includes but is not limited to the following:

Cush-n-Stop® Equalizer® Pacer® Quest®

Sentronic® Shield and Device®

Smoothee® Thriftee®

Super Stock® Super Smoothee®

## **Additional Assistance**

If any additional assistance is needed, call LCN at (800) 526-2400. Our Customer Service or Technical Support Team will do their very best to offer door control solutions on any of the products listed within the *LCN Illustrated Parts List*.

### Please note....

Every effort has been made to insure the accuracy of the LCN Illustrated Parts List. If an error does exist, please contact LCN Customer Service. Errors and omissions will be incorporated into the next edition of the LCN Illustrated Parts List. Illustrations are designed to show general shape and size of a part and the relationship that part has to other parts. Actual size and shape of parts or components may differ or vary from the actual part or component that is shipped. LCN offers this information as a reference only. All information is subject to change without notice from LCN. If any additional information is needed, please call LCN Customer Service or Technical Support at (800) 526-2400. You may also visit LCN on the web at www.lcnclosers.com.



# LCN ILLUSTRATED PARTS LIST "Table of Contents"

GENERAL SECTION	PAGE
Introduction	1-2
Table of Contents	3
<b>4000 SERIES SURFACE MOUNTED CLOS</b>	ERS
4010	1
4010T	5
4020	9
4020T	13
4030	17
4040	19
4040T	
4110	
4110T	
4130	
4000T	
10001	
1000 SERIES SURFACE MOUNTED CLOS	ERS
1070	
1370	
1460	
1460T	_
1520	
1520T	
10201	
CONCEALED CLOSERS	PAGE
330	
2010	
2030	
3030	
3130	
5010	
5030	1న
6030	


FIRE/LIFE SAFETY CLOSER/HOLDERS	PAGE
7800SEM	1
3130SE	3
4040SE	5
2310ME	9
4310ME	11
4410ME	13
4310HSA	15
4410HSA	17
SEH	19
HIGH SECURITY CLOSERS	
2210	
2210DPS	
4210	
4210T	
4510	
4510T	11
POWER OPERATORS	
2610 Pneumatic	1
4630 Electric	
4640 Electric	
4810 Pneumatic	
4820 Pneumatic	
4840 Pneumatic	

7900 Control Boxes & Accessories......15-28



# **LCN** ILLUSTRATED PARTS LIST






Standard 2310ME series closer shipped with either 24V or 120V cylinder (please specify), two piece metal finish plate, standard arm, track, and wood and machine screw pack. See 2310ME Series page 19 for options.

- ► Sized cylinders for interior doors to 4'0".
- ► Functions as full rack and pinion door closer when hold-open is not engaged or current is interrupted.
- ► Handed for right or left swinging door.
- ► Built-in "On/Off" switch controls hold-open function.
- ► Interfaces with fire alarm systems. Consult factory.
- Standard or optional custom powder coated finish.
- Optional plated finish on arm, fasteners and finish plate.

The 2310ME SENTRONIC® is a concealed heavy duty, electrically controlled closer/holder designed to provide infinitely adjustable hold-open for fire and smoke barrier doors. Door is held open until current interruption releases mechanism and the door closes. Single lever (track) arm closer is specifically designed for interior doors. Choice of finishes, cylinder functions, and installation accessories meet virtually all life safety requirements.

The 2310ME Series is UL & ULC listed for smoke barrier or labeled fire doors.

Tested and certified under ANSI Standard A156.15. Conforms to life safety code, NFPA 101.





<sup>\*</sup> Maximum hold-open with standard template. See individual closer series for degrees of opening and hold-open per installation.




### **CONCEALED MOUNTING**

For interior smoke barrier and labeled fire doors.

### **MAXIMUM OPENING**

Templating allows 180°.

Infinite hold-open points up to 160°.




- ▶ **Butt Hinges** should not exceed 5" (127 mm) in width.
- ► **Top Rail** 1 3/8" (35 mm) mortise required. 5/16" (8 mm) cutout required at top of door, stop face only.
- ► **Door Thickness** 1 3/4" (44 mm) minimum.
- ► **Door Width** 2'4" (711 mm) minimum.
- ► **Hollow Metal Frame** Requires minimum 4" (102 mm) x 4" frame. Consult factory or template for preparation details.
- ► **Bypass** (suffix "B80" or "B140") eliminates hold-open function up to a specified point of the doors swing.
  B80 cylinder from 0° to 80°.
  B140 cylinder from 0° to 140°.
- Wiring Diagram

# **Options**

- ► Hold-open bypass.
- 24V or 120 volt input, please specify.

## **Special Templates**

Customized installation templates or products may be available to solve unusual applications.
Contact LCN for assistance.





### **CYLINDER**

#### **ME CYLINDER. 2310ME-3971**

Standard, handed cast iron cylinder assembly. 24V holding solenoid **(24)** or 120V holding solenoid **(120)**, please specify. For various applications see "Table of Sizes" on 2310ME Series page 20.

### **ME CYLINDER, 2310ME-3071**

Standard, handed cylinder and mounting plate assembly. "On/Off" switch assembly controls hold-open function. Circuitry accepts either AC or DC input. 24V holding solenoid **(24)** or 120V holding solenoid **(120)**, please specify. For various applications see "Table of Sizes" on 2310ME Series page 20.

## **ARM**

### STANDARD ARM, 2310ME-3077T

Handed arm.

### **TRACK**

## STANDARD TRACK, 2310ME-3038

Standard, non-handed track.

# **SWITCH**

## SWITCH, 2310ME-3351

"On/Off" switch assembly provides continuous hold-open function. Available as 24V or 120V, please specify.

## **INSTALLATION ACCESSORIES**

#### FIRE SHIELD, 2310ME-420


22 gauge steel liner mounts in the track mortise of the door's top rail for 20 minute labeled wood doors with hollow metal frames.


### TRANSFORMER, 4040SE-3210


Reduces line voltage from 120V to 24V AC. Mounted on plate for 4" (102 mm) x 4" x 2 1/8" (54 mm) junction box (by others).


#### TRACK ROLLER, 2310ME-3034


Quiet, low friction roller assembly. Shoulder dimension "X" = 1/16" (2 mm).






















**TABLE OF SIZES** Select closer based on width of door. Sized 2310ME series cylinders available in size 3 or 4. Closing power of all 2310ME Series closers may be increased 15%.

Indicates recommended range of door width for closer size.

#### **INTERIOR DOOR WIDTH**



# HOW-TO-ORDER 2310ME SERIES CLOSERS

1. SELECT CYLINDER SIZE.
□ 2313ME
□ 2314ME
2. SPECIFY HAND.
□ RH
□ LH
3. VOLTAGE
□ 24V AC/DC
□ 120V AC/DC
4. SPECIFY FINISH.
☐ Standard Powder Coat
Aluminum, Dark Bronze , Tan, Statuary,
Light Bronze, Black, Brass.
Closer will be shipped with:
- FINISH PLATES,
- STANDARD ARM,
- STANDARD TRACK,
- TRACK ROLLER,
- WOOD & MACHINE SCREW PACK,
unless options listed below are selected.
CLOSER OPTIONS
CYLINDER FUNCTION
□ Bypass 80° (B80)
☐ Bypass 140° (B140)
FINISH
☐ Custom Powder Coat (RAL)
☐ Plated Finish, US
SCREW PACK
☐ TORX Machine Screw (TORX)
INSTALLATION ACCESSORIES
☐ Fire Shield, 2310ME-420
☐ Transformer, 4040SE-3210
SPECIAL TEMPLATE



□ ST-\_\_\_\_

# LCN3130SE SERIES

## Cylinder Assemblies.

3133(4)SE-3071 Cylinder Assembly F, S, H

Includes mounting channel,

Screw pack (WMS standard – please specify other) Cylinder assembly is sized, please specify (not adjustable)

#### Individual Cylinder Parts\_

Individual cylinder parts for 3130SE-3071

3130SE-159 Arm Screw F

Arm Assemblies\_

3130SE-3077T Standard Arm F, H

Includes 3130SE-83H, 159 & 425

3130SE-3077L Long Arm F, H

Includes 3130SE-83H, 159 & 425

Note: A 3130SE-3077L 'Long Arm' can only be used with a 3130SE-3038L 'Long Track'



Individual arm parts for 3130SE-3077T & 3130SE-3077L

3130SE-78 Main Arm & Tube F, H

Includes 3130SE-159


3130SE-82 F Rod


Includes 3130SE-425 & -83H


3130SE-83H H Arm Screw F 3130SE-159 Arm Screw F

3130SE-425 Roller Locking Screw

3130SE-3034 Track Roller







Please specify finish (F), size (S), hand (H), & voltage (V) where indicated. See the latest edition of the LCN Catalog for part descriptions and specifications on many of the items shown above. List prices for items shown above can be located in the current LCN Price List.



LCN CLOSERS 121 W. RAILROAD AVE. P.O. BOX 100

PHONE 800-526-2400 FAX 800-248-1460 www.lcnclosers.com PRINCETON, IL, USA 61356-0100 © 2004 Ingersoll-Rand Company

# LCN3130SE SERIES

### Track Assemblies\_

3130SE-3038 Standard Track F, V

Length is 22 3/4" (578mm)

Includes 3130SE-59A, -60 (3), -73 (2), -168, -3034, & -3436

3130SE-3038L Long Track F, V

Length is 25 3/4" (654mm)

Includes 3130SE-59A, -60 (3), -73(2), -168, -3034, & -3436

Note: A 3130SE-3038L 'Long Track' can only be used with a 3130SE-3077L 'Long Arm'

### **Individual Track Parts**-

Individual track parts for 3130SE-3038 & 3130SE-3038L

3130SE-59 Cover Plate

Use for products manufactured prior to 11/2003

Includes 3130SE-60 (3)

Cover Plate 3130SE-59A

Use for products manufactured 11/2003 or after


Includes 3130SE-60 (3)

Cover Plate Screw F 3130SE-60


3130SE-73 End Cap 3130SE-168 Track Slider 3130SE-3034 Track Roller

## **Installation Accessories**-

3130SE-81	Connector with ring	
3130SE-3436	SE On/Off Switch	
4040SE-3210	Transformer	V



3038





# LCN 4040SE SERIES

Cylinder Assemblies	S		
4040SE-3071	Cylinder Assembly	F	159—
	Includes screw pack (WMS standard -		ify other)
	Cylinder assembly is adjustable for si	izes 3 ana 4	61 3071
	Parts		
	arts for 4040SE-3071		
4040SE-61	Shaft Spacer	_	
4040SE-159	Arm Screw	F	
Covers			
4040SE-72	Standard Cover	F	
	Includes 4040SE-31 (2), -163, & -164	4 (2)	164
4040SE-72LL	Lead Lined Cover	F	104
	Includes 4040SE-31 (2), -163, & -164	4 (2)	
4040SE-72DS1	Designer Series Metal Cover	F	
40.40GE <b>50</b> 3.4G	Includes 4040SE-31 (2), -163G		
4040SE-72MC	Metal Cover	F, H	
	Includes 4040SE-31 (2)		
Individual Cover Pa	arte		163
	s for 4040SE-72, -72DS1, -72LL,	& -72MC	
4040SE-31	Cover Screw	F	72
4040SE-163	Arm Insert	F	72LĹ 3
4040SE-163G	Arm Insert (DS1)	F	
4040SE-164	Screw Insert	F	
			9
			163G -
		_	Vanot.
		/	72DS1 31
			9
		_	
		7	2MC




# LCN4040SE SERIES


Arm Assemblies			
4040SE-3077T	Standard Arm	F	
	Includes 4040SE-78, -82, -83H	, -159 & -425	
4040SE-3077DE	Double Egress Arm	F, H	

Includes 4040SE-78DE, -82, -83H, -159 & -425

#### **Individual Arm Parts.**

Individual arm parts for	4040SE-3077T & 4040SE-3077	DE
4040SE-61	Shaft Spacer	F
4040SE-78	Arm & Tube	F
	Includes 4040SE-159	
4040SE-78DE	Main Arm & Tube	F, H
	Includes 4040SE-159	
4040SE-82	Rod	F
	Includes 4040SE-83H & -425	
4040SE-83H	H Arm Screw	F
4040SE-159	Arm Screw	F
4040SE-425	Roller Locking Screw	
4040SE-3034	Track Roller	







# LCN 4040SE SERIES

Track Assemblies					73 〜
4040SE-3038	Standard Track Includes 4040SE-59A, -60 (3), -73 (2-141-1 (4),141-2 (3), -168, -3034 & Length is 22 3/4" (578mm)	-3436			141-2
4040SE-3038L	Long Track Includes 4040SE-59A, -60 (3), -73 (2 -141-1 (4), -141-2 (3), -168, -3034 & Length is 25 3/4" (654mm)		141	3038	168
Individual Track Par	rts		1000		
Individual track parts	for 4040SE-3038 & 4040SE-303	38L		$\infty$	
4040SE-59	Cover Plate	F		59	
	Use for products manufactured prior Includes 4040SE-60 (3)	r to 11/2003	8.	59A	
4040SE-59A	Cover Plate	F	60		
	Use for products manufactured 11/20 Includes 4040SE-60 (3)	v			73
4040SE-60	Cover Plate Screw	F			
4040SE-73	End Cap				
4040SE-141	Conduit Plug	F		1	41-2
4040SE-141-1	Track Plug	F		₩.	
4040SE-141-2	Track Plug	F	. 141		141-1
4040SE-159	Arm Screw	F	141		168
4040SE-168	Track Slider				3034
4040SE-3034	Track Roller			3038L	9-
		G.		3030L	
<b>Installation Accessor</b>			1000		
4040SE-81	Connector with ring			O	
4040SE-3210	Transformer	V		<b>&gt;</b> <b>-</b> 59	
4040SE-3436	SE On/Off Switch		8	59A	
			60		
			81	3436	3210



# LCN 4310HSA SERIES

## Cylinder Assemblies.

4311HSA-3071 Cylinder Assembly F, S, H, V

F, S, H, V

F

Includes mounting plate and all electronic components, Screw pack (WMS standard – please specify other). Cylinder assembly is size specific (not adjustable)

## Individual Cylinder Parts\_

Individual cylinder parts for 4311HSA-3071 4310HSA-18 Mounting Plate F, H Shaft Spacer 4310HSA-61 Arm Screw F 4310HSA-159 Scanner Module 4310HSA-3428

Timer Module 4310HSA-3448 4311HSA-3971 Cylinder Only

*Includes solenoid only – no other electronic components,* Screw pack (WMS standard – please specify other). Cylinder assembly is size specific (not adjustable)


Covers\_


4310HSA-72MC F, H Metal Cover


Includes 4310HSA-31 (3)

#### Individual Cover Parts\_

Individual cover parts for 4310HSA-72MC 4310HSA-31 Cover Screw









Please specify finish (F), size (S), hand (H), & voltage (V) where indicated. See the latest edition of the LCN Catalog for part descriptions and specifications on many of the items shown above. List prices for items shown above can be located in the current LCN Price List.



LCN CLOSERS 121 W. RAILROAD AVE. P.O. BOX 100

PHONE 800-526-2400 FAX 800-248-1460 www.lcnclosers.com PRINCETON, IL, USA 61356-0100 © 2004 Ingersoll-Rand Company

# LCN 4310HSA SERIES

Arm Assemblies.

4310HSA-3077T Standard Arm F, H

Includes 4310HSA-159 & -425

4310HSA-3077DE Double Egress Arm F, H

Includes 4310HSA-159 & -425

#### Individual Arm Parts\_

Individual arm parts for 4310HSA-3077SF

4310HSA-61 Shaft Spacer

4310HSA-159 Arm Screw F

4310HSA-425 Roller Locking Screw

4310HSA-3034 Track Roller

## Track Assemblies\_

4310HSA-3038 Standard Track F, V

Includes 4310HSA -73 (2), -141-2 (4), & -3034

F


Length is 22 3/4" (578mm)


#### Individual Track Parts\_


Individual track parts for 4310HSA-3038

4310HSA-73 End Cap 4310HSA-141-2 Track Plug

Track Roller 4310HSA-3034









# LCN 4310ME SERIES "Sentronic"

Cylinder Assemblies_				
4313(4)ME-3071	Cylinder Assembly	F, S, H, V		• (F
( )	Includes mounting plate and all ele			
	Screw pack (WMS standard – pleas			
1010(1) 57 0071700	Cylinder assembly is sized, please		3071	1 (0)
4313(4)ME-3071B80	Cylinder Assembly w/B80	F, S, H, V	3071B80— 3071B140	
	Includes mounting plate and all ele Screw pack (WMS standard – pleas			:0
	Cylinder assembly is sized, please			
4313(4)ME-3071B140		F, S, H, V		04
<b>、</b>	Includes mounting plate and all ele	ectronic components,		<u> </u>
	Screw pack (WMS standard – pleas			
	Cylinder assembly is sized, please	specify (not adjustable)	150	3971 3971B80
Individual Cylinder P	Parte		159 —	3971B140
Individual cylinder par				
4310ME-18	Mounting Plate	F, H		
4310ME-61	Shaft Spacer	1, 11		
4310ME-159	Arm Screw	F		
4310ME-3351	On/Off Switch Assembly	V		
4310ME-3354	ME Wiring Harness	•		
131011112 3331	3 wire, Length is 6" (152mm)			^
4313(4)ME-3971	Cylinder Only	F, S, H, V	<b>∞</b> 1	3354
1313(1)(1111111111111111111111111111111	Includes solenoid only – no other e			
	Screw pack (WMS standard – pleas			
	Cylinder assembly is sized, please		3351	10
4313(4)ME-3971B80	Cylinder Only w/B80	F, S, H, V	3331	18
	Includes solenoid only – no other e			
	Screw pack (WMS standard – please Cylinder assembly is sized, please to			000
4313(4)ME-3971B140		F, S, H, V		000
1010(1)1112 05 / 12110	Includes solenoid only – no other e		/ 0	
	Screw pack (WMS standard – pleas			
	Cylinder assembly is sized, please	specify (not adjustable)		
			0	
Covers				
4310ME-72MC	Metal Cover	F, H		
	Includes 4310ME-31 (3)			
7 H 1 1 C 7				
Individual Cover Part				
Individual cover parts f		Б		> <u></u>
4310ME-31	Cover Screw	F	7	
		72	MC /	
			31	



# LCN 4310ME SERIES "Sentronic"

Arm Assemblies			
4310ME-3077DE	Double Egress Arm	F, H	
	Includes 4310ME-159 & -425		
4310ME-3077SF	Swing Free Arm <i>Includes 4310ME-83, -159 &amp; -425</i>	F, H	
	Includes 4510ME-85, -139 & -425		
Individual Arm Parts			
Individual arm parts fo			
4310ME-61	Shaft Spacer		
4310ME-83	Arm Screw	F	
4310ME-159	Arm Screw	F	
4310ME-425	Roller Locking Screw		
4310ME-3034	Track Roller		
Track Assemblies			
4310ME-3038	Standard Track	F	
	Includes 4310ME -73 (2), & -141-2	(4)	
	Length is 22 3/4" (578mm)		3077DE
Individual Track Par	ts		425
Individual track parts f			
4310ME-73	End Cap		
4310ME-141-2	Track Plug	F	83
4310ME-3034	Track Roller		
			3077SF
		9	
			•
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	425
			3038
			141-2
			•
			73
		61	
		01	450
		<b>(S)</b>	159 3034



# LCN4410HSA SERIES


Cylinder Assemblies\_

4412HSA-3071 Cylinder Assembly F, S, H, V

> Includes 4410HSA-18 and all electronic components, Screw pack (WMS standard – please specify other). Cylinder assembly is size specific (not adjustable)

4412HSA-3071/18G Cylinder Assembly F, S, H, V

Includes 4410HSA-18G and all electronic components, Screw pack (WMS standard – please specify other). Cylinder assembly is size specific (not adjustable)



Individual cylinder p	earts for 4412HSA-3071	
4410HSA-18	Mounting Plate	F, H
4410HSA-18G	Mounting Plate	F, H
4410HSA-159	Arm Screw	F
4410HSA-3428	Scanner Module	
4410HSA-3448	Timer Module	
4412HSA-3971	Cylinder Only	F, S, H, V
	Includes salenaid only - no other	er electronic component

*Includes solenoid only – no other electronic components, Screw pack (WMS standard – please specify other).* Cylinder assembly is size specific (not adjustable)

Covers\_


4410HSA-72MC Metal Cover F, H


Includes 4410HSA-31 (3)


Individual Cover Parts\_

Individual cover parts for 4410HSA-72MC

4410HSA-31 Cover Screw F











# LCN 4410HSA SERIES

Arm Assemblies		
4410HSA-3077	Regular Arm	F, H
	Includes 4410HSA-77, -79, -83H	, & -159
4410HSA-3077L	Long Arm	F, H
	Includes 4410HSA-77 -79LR, -83	3H, & <b>-</b> 159
T 1' ' 1 1 A B	4	
Individual Arm Par		
•	for 4410HSA-3077, & -3077L	
4410HSA-77	Main Arm & Forearm	F
	Includes 4410HSA-159	
4410HSA-77L	Long Arm & Forearm	F
	Includes 4410HSA-159	
4410HSA-79	Rod & Shoe	F
	Includes 4410HSA-83H	
4410HSA-79L	Long Rod & Shoe	F
	Includes 4410HSA-83H	
4410HSA-83H	H Arm Screw	F
4410HSA-159	Arm Screw	F







# LCN 4410ME SERIES

1 1 1 0 1 VIL) - / 2 1 VIC	Includes 4410ME-31 (3)	1,11
Covers 4410ME-72MC	Metal Cover	F, H
C		,
	Cylinder assembly is size specif	
	Screw pack (WMS standard – p	_
4413(4)ME-3971B140	Cylinder Only w/B140 Includes solenoid only – no other	F, S, H, V
4412(4)ME 2071D140	Cylinder assembly is size specif	
	Screw pack (WMS standard - p	1 00
	Includes solenoid only - no other	er electronic components,
4413(4)ME-3971B80	Cylinder Only w/B80	F, S, H, V
	Cylinder assembly is size specif	
	Screw pack (WMS standard – p	
1113(1)11111 37/11	Includes solenoid only – no oth	
4413(4)ME-3971	Cylinder Only	F, S, H, V
4410ME-3354	ME Wiring Harness 3 wire, Length is 6" (152mm)	
4410ME-3351	On/Off Switch Assembly	V
4410ME-159	Arm Screw	F
4410ME-18G	Mounting Plate	F, H
4410ME-18	Mounting Plate	F, H
Individual cylinder parts	s for 4410ME-3071	
Individual Cylinder Pa		
	, , pro-	1 05 (
	Cylinder assembly is sized, plea	
	Screw pack (WMS standard – p	
4413(4)IVIE-30/1B140O	Cylinder Assembly w/B14 Includes 4410ME-18G and all 6	
4412(4)ME 2071D140C	Cylinder assembly is sized, plea	
	Screw pack (WMS standard – p	
	Includes 4410ME-18 and all ele	
4413(4)ME-3071B140	Cylinder Assembly w/B14	
	Cylinder assembly is sized, plea	se specify (not adjustable)
	Screw pack (WMS standard – p.	
	Includes 4410ME-18G and all e	
4413(4)ME-3071B80G	Cylinder assembly is sized, plea Cylinder Assembly w/B80	F, S, H, V
	Screw pack (WMS standard – p	
	Includes 4410ME-18 and all ele	
4413(4)ME-3071B80	Cylinder Assembly w/B80	
4440(A) ED 2074707	Cylinder assembly is sized, plea	
	Screw pack (WMS standard – p	
	Includes 4410ME-18G and all e	
4413(4)ME-3071G	Cylinder Assembly	F, S, H, V
	Cylinder assembly is sized, plea	se specify (not adjustable)
	$Screw\ pack\ (WMS\ standard-p$	
	Includes 4410ME-18 and all ele	
4413(4)MLC-30/1	Cylinder Assembly	1, 5, 11, 1
4413(4)ME-3071	Cylinder Accombly	F, S, H, V

Please specify finish (F), size (S), hand (H), & voltage (V) where indicated. See the latest edition of the LCN Catalog for part descriptions and specifications on many of the items shown above. List prices for items shown above can be located in the current LCN Price List.

F




4410ME-31

Individual cover parts for 4410ME-72MC

Cover Screw

# LCN 4410ME SERIES

Arm Assemblies			
4410ME-3077	Regular Arm	F	
4410) (5.000)	Includes 4410ME-77, 79 & 159		
4410ME-3077L	Long Arm	F	
	Includes 4410ME-77L, 79L & 159		
Individual Arm Pa	rts		
Individual arm parts	s for 4410ME-3077 & 3077L		
4410ME-77	Arm & Forearm	F	
	Includes 4410ME-159		
4410ME-77L	Long Arm & Forearm	F	
	Includes 4410ME-159		
4410ME-79	Rod & Shoe	F	
	Includes 4410ME-83H		
4410ME-79L	ME Long Rod	F	
	Includes 4410ME-83H		
4410ME-83H	H Arm Screw	F	
4410ME-159	Arm Screw	F	





# **LCN SEH SERIES**

Arm Assemblies			
SEH-3077T	Standard Arm Includes SEH-78, -82, -83H, &	F -425	
Individual Arm Par	rts		
Individual arm parts			
SEH-78	Arm & Tube	F	
DEII 70	Includes -159 & -425	-	
SEH-82	Rod & Shoe	F	Ø.
	Includes -83H		
SEH-83H	H Arm Screw	F	83H —
SEH-425	Roller Locking Screw		0011
SEH-3034	Track Roller		
			[3]
Track Assemblies_	G. 1 1 1		<del></del>
SEH-3038	Standard Track	F, V	H
	Includes SEH-59A, -60 (3), -73 -141-1 (4), 141-2 (3) -168, & -3		<b>6</b> 5
	Length is 22 3/4" (578mm)	7031, 3130	
Individual Track P			_
Individual track part			
SEH-59	Cover Plate	F	14
	Use for products manufactured	prior to 11/2003	
	Includes SEH-60 (3)		
SEH-59A	Cover Plate		1-1
	Use for products manufactured	11/2003 or after	
	Includes SEH-60 (3)	_	
SEH-60	Cover Plate Screw	F	
SEH-73	End Cap	_	60
SEH-141	Conduit Plug	F	5
SEH-141-1	Track Plug	F	5
SEH-141-2	Track Plug	F	
SEH-168	Track Slider		
SEH-3034	Track Roller		
T			<
Installation Accesso			3210
SEH-81	Connector with ring	**	
SEH-3436	SE On/Off Switch	V	

Please specify finish **(F)**, size **(S)**, hand **(H)**, & voltage **(V)** where indicated. See the latest edition of the LCN Catalog for part descriptions and specifications on many of the items shown above. List prices for items shown above can be located in the current LCN Price List.



4040SE-3210

Transformer

# LCN SEM7800 SERIES

# Complete Magnet Assemblies\_


SEM7820	Floor Mounted Magnet	F, V
SEM7830	Surface Wall Mounted Magnet	F, V
SEM7840	Low Profile Recessed Wall Mt.	F, V
SEM7850	Std. Profile Recessed Wall Mt.	F, V


## Individual Magnet Parts\_


## Individual magnet parts for SEM7000 Series

LCN is not able to offer the magnet portion or individual box portion of any SEM7800 Series Magnet as an individual replacement part

DEM / 000 Der les magne	i us un inaiviauai repiacemeni pari	
SEM7820-825	Door Armature	F
SEM7830-72	Standard Cover	F
	Box and magnet not included	
SEM7830-825	Door Armature	F
SEM7840-72	Standard Cover	F
	Box and magnet not included	
SEM7840-825	Door Armature	F
SEM7850-72	Standard Cover	F
	Box and magnet not included	
SEM7850-828	Door Armature	F







Please specify finish (F), size (S), hand (H), & voltage (V) where indicated. See the latest edition of the LCN Catalog for part descriptions and specifications on many of the items shown above. List prices for items shown above can be located in the current LCN Price List.



LCN CLOSERS 121 W. RAILROAD AVE. P.O. BOX 100 PRINCETON, IL, USA 61356-0100 © 2004 Ingersoll-Rand Company

PHONE 800-526-2400 FAX 800-248-1460 www.lcnclosers.com